

SMALL
APPLIANCES
2023-24



**COOK UP
THE NEW**

KUTCHINA®
THE KITCHEN EXPERTS



MIXER GRINDER

SS 304 BLADE
SS 304 Blade (food grade steel) for better hygiene and long life



ANTI-SKID FEET
For a strong grip during operation

COPPER WINDING MOTORS
Long lasting and efficient copper winding motors



5-YEAR WARRANTY ON MOTOR
For trusted quality assurance



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- Hygrade Motor
- 3 Speed with Incher
- PP dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product

VICTOR 500

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	500 W
Motor Type	Hygrade Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.2 L
Capacity (Dry Jar)	0.7 L
Capacity (Chutney Jar)	0.3 L
Body Meterial	Food Grade ABS Body
Dome Lid	PP



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- 100% Copper Motor
- 3 Speed with Incher
- PP dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product

OSCAR 500

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	500 W
Motor Type	Copper Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.2 L
Capacity (Dry Jar)	0.8 L
Capacity (Chutney Jar)	0.4 L
Body Meterial	Food Grade ABS Body
Dome Lid	PP



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- Hygrade Motor
- 3 Speed with Incher
- PP dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product

SUPERIO 500

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 230V
Frequency (Hz)	50Hz
Rated Power	500 W
Motor Type	Hygrade Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.2 L
Capacity (Dry Jar)	0.8 L
Capacity (Chutney Jar)	0.4 L
Body Meterial	Food Grade ABS Body
Dome Lid	PP



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- Hygrade Motor
- 3 Speed with Incher
- PP dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product

OMEGA DLX 500

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	500 W
Motor Type	Hygrade Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.2 L
Capacity (Dry Jar)	0.7 L
Capacity (Chutney Jar)	0.3 L
Body Material	Food Grade ABS Body
Dome Lid	PP



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- Hygrade Motor
- 3 Speed with Incher
- PP dome lid
- Over Load Protection
- 2 Years Warranty On Product

TWISTER 500

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	500 W
Motor Type	Hygrade Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.2 L
Capacity (Dry Jar)	0.7 L
Capacity (Chutney Jar)	0.3 L
Body Material	Food Grade ABS Body
Dome Lid	PP



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- 100% Copper Motor
- 3 Speed with Incher
- PC dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product

RADO 750

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	500 W
Motor Type	Copper Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.2 L
Capacity (Dry Jar)	0.7 L
Capacity (Chutney Jar)	0.3 L
Body Material	Food Grade ABS Body
Dome Lid	Poly Carbonate

STALLION 750

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	750 W
Motor Type	Hygrade Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.2 L
Capacity (Dry Jar)	0.8 L
Capacity (Chutney Jar)	0.4 L
Body Material	Food Grade ABS Body
Dome Lid	Poly Carbonate



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- Hygrade Motor
- 3 Speed with Incher
- PC dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product

KARIZMA 750

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	750 W
Motor Type	Copper Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.5 L
Capacity (Dry Jar)	1.0 L
Capacity (Chutney Jar)	0.4 L
Body Material	Food Grade ABS Body
Dome Lid	Poly Carbonate



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- 100% Copper Motor
- 3 Speed with Incher
- PC dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product

ORACLE 750

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	750 W
Motor Type	Hygrade Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.5 L
Capacity (Dry Jar)	1.0 L
Capacity (Chutney Jar)	0.4 L
Body Material	Food Grade ABS Body
Dome Lid	Poly Carbonate



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- Hygrade Motor
- 3 Speed with Incher
- PC dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product

MAGNUS 1000

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1000 W
Motor Type	Copper Winded Motor
Speeds	3
Switch Control	Knob
Incher / Pulse	Yes
Blade Type	SS 304
Jar Type	Food Grade SS Jars
No. of Jar	3
Capacity (Wet Jar)	1.6 L
Capacity (Dry Jar)	1.6 L
Capacity (Chutney Jar)	0.4 L
Body Material	Food Grade ABS Body
Dome Lid	Poly Carbonate



KEY POINTS

- SS 304 Blade
- Food Grade SS jar
- ABS food Grade Body
- 100% Copper Motor
- 3 Speed with Incher
- PC dome lid
- Over Load Protection
- 5 Years warranty On Motor
- 2 Years Warranty On Product



WET GRINDER

COPPER WINDING MOTORS
Long lasting and efficient copper winding motors



2-YEAR WARRANTY ON MOTOR
For trusted quality assurance



KWG 05

TECHNICAL SPECIFICATIONS

Type	Table Top
Capacity	2 L
Motor	150 W
Motor Type	Copper Motor
Basic Unit	High Quality ABS Plastic
Drum	Stainless Steel
Stones	High Quality Rollers Stones and Bottom Stone



KEY POINTS

- High Quality Rollers Stones and Bottom Stone
- Stainless Steel Body
- 2 Years Warranty On Product

JUICER MIXER GRINDER



KEY POINTS

- Food Grade Plastic Body
- Stainless Steel Filter
- SS 304 blade
- 1.5L Food Grade liquide Jar
- 5 Years warranty On Motor
- 2 Years Warranty On Product

VIENA 500

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power(W)	500 W
Motor Type	Hygrade Motor
Speeds	3
Switch Control	Rottary Switch
Incher / Pulse	Yes
Filter Type	Stainless Steel filter
Body Type	Foodgrade plastic
Pulp Container	YES
No. of Jar	2
Capacity (Wet Jar)	1.5 L
Capacity (Dry Jar)	0.75 L
Capacity (Chuteny Jar)	NA



KEY POINTS

- Food Grade Plastic Body
- Stainless Steel Filter
- SS 304 blade
- 1.5L Food Grade liquide Jar
- 5 Years warranty On Motor
- 2 Years Warranty On Product

APOLLO 500

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power(W)	500 W
Motor Type	Hygrade Motor
Speeds	3
Switch Control	Rottary Switch
Incher / Pulse	Yes
Filter Type	Stainless Steel filter
Body Type	Foodgrade plastic
Pulp Container	YES
No. of Jar	3
Capacity (Wet Jar)	1.5 L
Capacity (Dry Jar)	0.7 L
Capacity (Chuteny Jar)	0.3 L



JUICER



2-YEAR WARRANTY
For trusted quality assurance



SEED SEPARATOR TECHNOLOGY



COPPER WINDED MOTORS
Long lasting and efficient copper winding motors



KEY POINTS

- Seed Separator
- Stainless Steel Filter
- Copper Motor
- Food Grade ABS body
- 2 Years Warranty On Product

ETERNITY

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power(W)	450 W
Motor Type	Copper Motor
Speeds	2
Switch Control	Rotary Switch
Incher / Pulse	Yes
Filter Type	Stainless Steel filter
Body Type	Foodgrade plastic
Pulp Container	YES

NOVELLO

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power(W)	450 W
Motor Type	Copper Motor
Speeds	2
Switch Control	Rottary Switch
Incher / Pulse	Yes
Filter Type	Stainless Steel filter
Body Type	Foodgrade plastic
Pulp Container	YES



KEY POINTS

- Seed Separator
- Stainless Steel Filter
- Copper Motor
- Food Grade ABS body
- 2 Years Warranty On Product

STELLAR

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power(W)	450 W
Motor Type	Copper Motor
Speeds	2
Switch Control	Rottary Switch
Incher / Pulse	Yes
Filter Type	Stainless Steel filter
Body Type	Foodgrade plastic
Pulp Container	YES



KEY POINTS

- Seed Separator
- Stainless Steel Filter
- Copper Motor
- Food Grade ABS body
- 2 Years Warranty On Product

ELLA

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power(W)	450 W
Motor Type	Copper Motor
Speeds	2
Switch Control	Rottary Switch
Incher / Pulse	Yes
Filter Type	Stainless Steel filter
Body Type	Foodgrade plastic
Pulp Container	YES



KEY POINTS

- Seed Separator
- Stainless Steel Filter
- Copper Motor
- Food Grade ABS body
- 2 Years Warranty On Product



KETTLE



360° CORDLESS BODY

The body can be detached from the power cord for easy handling



CONCEALED ELEMENT

Heating element is concealed inside which ensures safety



2-YEAR WARRANTY

For trusted quality assurance

EVA SS 1.5L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1500W
Power Indicator	YES
Water Level Indicator	No
Heating Element	Concealed
Body Meterial	Stainless Steel
Heating base	360° Turnable



KEY POINTS

- Food grade Stainless Steel body
- Chordless body
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 2 Years Warranty On Product



KEY POINTS

- Food grade Stainless Steel body
- Chordless body
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 2 Years Warranty On Product

EVA SS 1.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1500W
Power Indicator	YES
Water Level Indicator	No
Heating Element	Concealed
Body Material	Stainless Steel
Heating base	360° Turnable



KEY POINTS

- Food grade Stainless Steel body
- Chordless body
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 2 Years Warranty On Product

RINGO 1.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1500W
Power Indicator	YES
Water Level Indicator	No
Heating Element	Concealed
Body Material	Stainless Steel
Heating base	360° Turnable



KEY POINTS

- Food grade Stainless Steel body
- Chordless body
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 2 Years Warranty On Product

LEO 1.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1500W
Power Indicator	YES
Water Level Indicator	YES
Heating Element	Concealed
Body Material	Stainless Steel
Heating base	360° Turnable



KEY POINTS

- High Quality Glass Chordless Body
- Circle LED light
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 2 Years Warranty On Product

LUMINO 1.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1500W
Power Indicator	YES
Water Level Indicator	YES
Heating Element	Concealed
Body Material	High Quality Glass
Heating base	360° Turnable



KEY POINTS

- Food grade Stainless Steel body
- Chordless body
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 2 Years Warranty On Product

DAISY 1.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1500W
Power Indicator	YES
Water Level Indicator	YES
Heating Element	Concealed
Body Material	Stainless Steel
Heating base	360° Turnable



KEY POINTS

- Food grade Stainless Steel body
- Chordless body
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 2 Years Warranty On Product

CROWN 1.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1500W
Power Indicator	YES
Water Level Indicator	YES
Heating Element	Concealed
Body Material	Stainless Steel
Heating base	360° Turnable

KETTLE BOTTLE COMBO

TECHNICAL SPECIFICATIONS

Capacity	1.5L
Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1500W
Power Indicator	YES
Water Level Indicator	YES
Heating Element	Concealed
Body Material	Stainless Steel
Heating base	360° Turnable

Capacity	700 ML
Body	Stainless Steel
Body Material	High Temperature resistance
Lid Material	PP



KEY POINTS

- Food grade Stainless Steel body
- Chordless body
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 700 ml Stainless Steel Bottle
- High Temperature resistance Body
- 2 Years Warranty On Product

MULTI KETTLE

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	600W
Power Indicator	YES
Heating Element	Concealed
Body Material	Stainless Steel
Heating base	360° Turnable



KEY POINTS

- Food grade Stainless Steel body
- Chordless body
- Concealed Heating Element
- Dry Protection
- Auto cut off
- 2 Years Warranty On Product



COOKTOP



AUTO IGNITION
Auto ignition with flat spark plug



2-YEAR WARRANTY
For trusted quality assurance



5-YEAR WARRANTY
On Glass



TEMPERED GLASS
Tempered glass on the surface



SINGLE JOINT FRAME
for stronger body



5-YEAR WARRANTY
On Valve

INFERNO EXCEL 2B

TECHNICAL SPECIFICATIONS

Burner	Brass burner
Burnr Size	69/79
Burner format	With Inner / Outer Locking
Burner Base	Alumunium alloy
Ignition Type	AUTO/NON-AUTO
Gas type	LPG
Glass	6mm tempered glass
Frame body	SS
Pan Support	Thick (Euro Coated)
Drip Tray	SS
Product Diamension (L x W x H)"	700x360x130 mm



KEY POINTS

- Single Joint Frame
- Stainless Steel Body
- Hi efficiency Brass Burner
- Thick Euro coated Pan support
- 5 years warranty on Glass & Valve
- 2 Years Warranty On Product

INFERNO EXCEL 3B

TECHNICAL SPECIFICATIONS

Burner	Brass burner
Burnr Size	79/69/92
Burner format	With Inner / Outer Locking
Burner Base	Alumunium alloy
Ignition Type	AUTO/NON-AUTO
Gas type	LPG
Glass	6mm tempered glass
Frame body	SS
Pan Support	Thick (Euro Coated)
Drip Tray	SS
Product Diamension (L x W x H)"	770x380x130mm



KEY POINTS

- Single Joint Frame
- Stainless Steel Body
- Hi efficiency Brass Burner
- Thick Euro coated Pan support
- 5 years warranty on Glass & Valve
- 2 Years Warranty On Product

INFERNO EXCEL 4B

TECHNICAL SPECIFICATIONS

Burner	Brass burner
Burnr Size	69/69/79/92
Burner format	With Inner / Outer Locking
Burner Base	Alumunium alloy
Ignition Type	AUTO/NON-AUTO
Gas type	LPG
Glass	6mm tempered glass
Frame body	SS
Pan Support	Thick (Euro Coated)
Drip Tray	SS
Product Diamension (L x W x H)"	635 X 500 X 135mm



KEY POINTS

- Single Joint Frame
- Stainless Steel Body
- Hi efficiency Brass Burner
- Thick Euro coated Pan support
- 5 years warranty on Glass & Valve
- 2 Years Warranty On Product



KEY POINTS

- Single Joint Frame
- Stainless Steel Body
- Hi efficiency Brass Burner
- Thick Euro coated Pan support
- 5 years warranty on Glass & Valve
- 2 Years Warranty On Product

FABIO ECO 2B

TECHNICAL SPECIFICATIONS

Burner	Brass burner
Burnr Size	69/79
Burner format	With Inner / Outer Locking
Burner Base	Alumunium alloy
Ignition Type	Non Auto
Gas type	LPG
Glass	6mm tempered glass
Frame body	MS BK
Pan Support	Thick (Euro Coated)
Drip Tray	SS
Product Dimension (L x W x H)"	600x320x130mm



KEY POINTS

- Single Joint Frame
- Stainless Steel Body
- Hi efficiency Brass Burner
- Thick Euro coated Pan support
- 5 years warranty on Glass & Valve
- 2 Years Warranty On Product

FABIO ECO 3B

TECHNICAL SPECIFICATIONS

Burner	Brass burner
Burnr Size	79/69/92
Burner format	With Inner / Outer Locking
Burner Base	Alumunium alloy
Ignition Type	Non Auto
Gas type	LPG
Glass	6mm tempered glass
Frame body	MS BK
Pan Support	Thick (Euro Coated)
Drip Tray	SS
Product Dimension (L x W x H)"	690x360x130mm



KEY POINTS

- Single Joint Frame
- Stainless Steel Body
- Hi efficiency Brass Burner
- Thick Euro coated Pan support
- 5 years warranty on Glass & Valve
- 2 Years Warranty On Product

FABIO ECO 4B

TECHNICAL SPECIFICATIONS

Burner	Brass burner
Burnr Size	69/69/79/92
Burner format	With Inner / Outer Locking
Burner Base	Alumunium alloy
Ignition Type	Non Auto
Gas type	LPG
Glass	6mm tempered glass
Frame body	MS BK
Pan Support	Thick (Euro Coated)
Drip Tray	SS
Product Dimension (L x W x H)"	635x500x130 mm



STAINLESS STEEL GAS STOVE



**SINGLE
JOINT FRAME**
for stronger body



2-YEAR WARRANTY
For trusted quality
assurance



KEY POINTS

- Heavy Stainless Steel body
- High efficiency brass burner
- Heavy Matt finish Pan support
- 2 Years Warranty On Product

Cute 2B SS GS

TECHNICAL SPECIFICATIONS

Burner	BRASS BURNER
Burner SIZE	79mm / 68mm
BURNER BASE	Aluminium
Ignition Type	NON AUTO
Gas type	LPG
Frame body	Stainless Steel
Knob	ABS
Pan Support	MS with Powder Coated Matt Finish
Product Size (L x W x H)	615x320x125mm

Classic 2B SS GS

TECHNICAL SPECIFICATIONS

Burner	BRASS BURNER
Burner SIZE	79mm / 68mm
BURNER BASE	Alumunium
Ignition Type	NON AUTO
Gas type	LPG
Frame body	Stainless Steel
Knob	ABS
Pan Support	MS with Powder Coated Matt Finish
Product Size (L x W x H)	675x325x145 mm



KEY POINTS

- Heavy Stainless Steel body
- High efficiency brass burner
- Heavy Matt finish Pan support
- 2 Years Warranty On Product

Supreme 2B SS GS

TECHNICAL SPECIFICATIONS

Burner	BRASS BURNER
Burner SIZE	79mm / 68mm
BURNER BASE	Alumunium
Ignition Type	NON AUTO
Gas type	LPG
Frame body	Stainless Steel
Knob	ABS
Pan Support	MS with Powder Coated Matt Finish
Product Size (L x W x H)	685x360x145mm



KEY POINTS

- Heavy Stainless Steel body
- High efficiency brass burner
- Heavy Matt finish Pan support
- 2 Years Warranty On Product

Supreme 3B SS GS with jumbo br.

TECHNICAL SPECIFICATIONS

Burner	BRASS BURNER
Burner SIZE	92mm / 79mm / 68mm
BURNER BASE	Alumunium
Ignition Type	NON AUTO
Gas type	LPG
Frame body	Stainless Steel
Knob	ABS
Pan Support	MS with Powder Coated Matt Finish
Product Size (L x W x H)	765x420x140 mm



KEY POINTS

- Heavy Stainless Steel body with Jumbo Burner
- High efficiency brass burner
- Heavy Matt finish Pan support
- 2 Years Warranty On Product

INDUCTION COOKER



8 POWER LEVELS
Adjustable power control upto 2000 W



2-YEAR WARRANTY
For trusted quality assurance



AUTOMATIC SHUT OFF
Power cuts off in the absence of utensils

PRIME 1600

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Coil Type	Alloy/Hybrid Coil
Rated Power (W)	1600 W
Display Type	Digital Display
Switch	Push Button
Temperature Control	8
Multiple Function	Cook Soup, Cook Rice, Boil Water, Hot Milk, Barbecue, Chaffy Dish, Frying



KEY POINTS

- 8 Temperature Control
- Multiple Cooking Function
- Unit masure
- Push Button
- 1 Year Warranty On Product

BOLT 2000

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Coil Type	Alloy/Hybrid Coil
Rated Power (W)	2000 W
Display Type	Digital Display
Switch	Push Button
Temperature Control	8
Multiple Function	Cook Soup, Cook Rice, Boil Water, Hot Milk, Barbecue, Chaffy Dish, Frying



KEY POINTS

- 8 Temperature Control
- Multiple Cooking Function
- Unit masure
- Push Button
- 1 Year Warranty On Product

MAGNETO 2000

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Coil Type	Copper Coil
Rated Power (W)	2000 W
Display Type	4 Digit Display
Switch	Touch Control
Temperature Control	8
Multiple Function	Cook Soup, Cook Rice, Boil Water, Hot Milk, Barbecue, Chaffy Dish, Frying



KEY POINTS

- 8 Temperature Control
- Multiple Cooking Function
- Unit masure
- Touch Control
- Copper Coil
- 2 Years Warranty On Product



KEY POINTS

- 8 Temperature Control
- Multiple Cooking Function
- Unit masure
- Touch Control
- Copper Coil
- 1 Year Warranty On Product

TEMPO 2000

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Coil Type	Copper Coil
Rated Power (W)	2000 W
Display Type	4 Digit Display
Switch	Touch Control
Temperature Control	8
Multiple Function	Soup, Stew, Water, Gentle Heat, Strong Fire, Hot Pot, Porridge, Stir, Time Setting



KEY POINTS

- 8 Temperature Control
- Multiple Cooking Function
- Unit masure
- Touch Control
- Copper Coil
- 2 Years Warranty On Product

DECORA 2000

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Coil Type	Copper Coil
Rated Power (W)	2000 W
Display Type	4 Digit Display
Switch	Touch Control
Temperature Control	8
Multiple Function	Soup, Stew, Water, Gentle Heat, Strong Fire, Hot Pot, Porridge, Stir, Time Setting



KEY POINTS

- 8 Temperature Control
- Multiple Cooking Function
- Unit masure
- Touch Control
- Copper Coil
- 2 Years Warranty On Product

CRYSTAL 2000

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Coil Type	Copper Coil
Rated Power (W)	2000 W
Display Type	4 Digit Display
Switch	Touch Control
Temperature Control	8
Multiple Function	Soup, Stew, Water, Gentle Heat, Strong Fire, Hot Pot, Porridge, Stir, Time Setting



INFRARED COOKER

- 20 Power Levels
- Auto-cut Timer
- Faster Heating



- KEY POINTS**

 - 20 Power level
 - Multiple cooking Function
 - Faster cooking
 - 2 Years Warranty On Product

PLUTO DLX PLUS

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power (W)	2000 W
Display Type	Digital Display
Switch	Touch Control
POWER LEVEL	20
Multiple Function	Stir Fry, BBQ, Steam, Hotpot, With Timer.



- KEY POINTS**

 - 20 Power level
 - Multiple cooking Function
 - Faster cooking
 - 1 Year Warranty On Product

PLATINO

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power (W)	2000 W
Display Type	Digital Display
Switch	Touch Control
POWER LEVEL	20
Multiple Function	Stir Fry, BBQ, Steam, Hotpot, With Timer.

MAGMA

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power (W)	1500 W
Switch	Rotary Switch
Multiple Function	Stir Fry, BBQ, Steam, Hotpot



KEY POINTS

- Thermostat Control
- Faster cooking
- 1 Years Warranty On Product

MAGMA EXCEL

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power (W)	2 X 1500W
Switch	Rotary Switch
Multiple Function	Stir Fry, BBQ, Steam, Hotpot



KEY POINTS

- Thermostat Control
- 2 cooking zone
- Faster cooking
- 1 Years Warranty On Product

SONIC

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power (W)	2200 W
Display Type	Digital Display
Switch	Touch Control
POWER LEVEL	22
Multiple Function	Saute, Barbecue, Soup, Chafing Dish, with Timer



KEY POINTS

- 22 Power level
- Multiple cooking Function
- Faster cooking
- 2 Years Warranty On Product

NON STICK COOKWARE



Induction
Base Pan



3mm Thick
Heavy Utensil



Granite
Finish



4 Layer
Nonstick Coating

ENDURA FRYPAN 22 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	22 Cm
CLARIFICATION	FRY PAN 22 Cm
INDUCTION BASE	YES
Lid Included	No
NON STICK	Yes
DISHWASHER	No
MICROWAVE SAFE	No



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- 2 Years Warranty On Product



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- 2 Years Warranty On Product

ENDURA FRYPAN 24 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	24 Cm
CLARIFICATION	FRY PAN 24 Cm
INDUCTION BASE	YES
Lid Included	No
NON STICK	Yes
DISHWASHER	No
MICROWAVE SAFE	No



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- 2 Years Warranty On Product

ENDURA FRYPAN 26 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	26 Cm
CLARIFICATION	FRY PAN 26 Cm
INDUCTION BASE	YES
Lid Included	No
NON STICK	Yes
DISHWASHER	No
MICROWAVE SAFE	No



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- Glass Lid
- 2 Years Warranty On Product

ENDURA KADAHI WITH LID 22 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	22 Cm
CLARIFICATION	FRY PAN 22 Cm
INDUCTION BASE	YES
Lid Included	YES
NON STICK	YES
DISHWASHER	NO
MICROWAVE SAFE	NO



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- Glass Lid
- 2 Years Warranty On Product

ENDURA KADAHI WITH LID 24 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	24 Cm
CLARIFICATION	FRY PAN 24 Cm
INDUCTION BASE	YES
Lid Included	YES
NON STICK	YES
DISHWASHER	NO
MICROWAVE SAFE	NO



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- Glass Lid
- 2 Years Warranty On Product

ENDURA KADAHI WITH LID 30 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	30 Cm
CLARIFICATION	FRY PAN 30 Cm
INDUCTION BASE	YES
Lid Included	YES
NON STICK	YES
DISHWASHER	NO
MICROWAVE SAFE	NO



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- 2 Years Warranty On Product

ENDURA TAWA 25 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	25 Cm
CLARIFICATION	TAWA 25 Cm
INDUCTION BASE	YES
Lid Included	NO
NON STICK	YES
DISHWASHER	NO
MICROWAVE SAFE	NO

ENDURA TAWA 28 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	28 Cm
CLARIFICATION	FRY PAN 28 Cm
INDUCTION BASE	YES
Lid Included	NO
NON STICK	YES
DISHWASHER	NO
MICROWAVE SAFE	NO



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- 2 Years Warranty On Product

ENDURA TAWA 30 CM NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
SIZE	30 Cm
CLARIFICATION	FRY PAN 30 Cm
INDUCTION BASE	YES
Lid Included	NO
NON STICK	YES
DISHWASHER	NO
MICROWAVE SAFE	NO



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- 2 Years Warranty On Product

ENDURA 4 PC SET NS IB

TECHNICAL SPECIFICATIONS

BODY LAYER	4 LAYER NON STICK COATED
CLARIFICATION	OMNI TAWA 25 Cm FRY PAN 24 Cm KADHAI 24 Cm GLASS LID
INDUCTION BASE	YES
Lid Included	YES
NON STICK	YES
DISHWASHER	NO
MICROWAVE SAFE	NO



KEY POINTS

- 3mm body thickness
- PFOA free
- 4 Layer Coating
- Metal spoon friendly
- Glass Lid
- 2 Years Warranty On Product



OTG

-  **TIMER WITH BELL**
Rings to indicate the end of process
-  **ROTISSERIE**
For 360° uniform roasting
-  **2-YEAR WARRANTY**
For trusted quality assurance

ZEPHIRE 9 L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Heating Element	QUARTZ
Handle Type	Stainless Steel
Rotisserie	NA
Convection	NA
Auto Shut off & Ready Bell	Yes
Door Glass	Heat-resistant tempered glass
Power	650 W
Temperature Control	100-250°C
Function	3
Capacity	9 L
Max. Cooking Time	30 Min
Accessories	Bake Pan Rack Wire



KEY POINTS

- QUARTZ Heating Elements
- Heat-resistant tempered glass Door
- Operation Indicator
- 1 Year Warranty On Product

ZEPHIRE 20 L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Heating Element	Stainless Steel
Handle Type	Stainless Steel
Rotisserie	YES
Convection	NA
Auto Shut off & Ready Bell	Yes
Door Glass	Heat-resistant tempered glass
Power	1280 W
Temperature Control	100-250°C
Function	3
Capacity	20 L
Max. Cooking Time	60 Min
Accessories	Enameled steel Bake Pan Chromed Steel Bake Rack Chromed Steel Pan Handle



KEY POINTS

- Stainless Steel Heating Elements
- Heat-resistant tempered glass Door
- Stainless Steel Handle
- Operation Indicator
- 1 Year Warranty On Product



KEY POINTS

- Stainless Steel Heating Elements
- 5 Different function With Convection mode
- Rotisserri for 360°
- Stainless Steel Handle
- 2 Years Warranty On Product

ZEPHIRE 24 L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Heating Element	Stainless Steel
Handle Type	Stainless Steel
Rotisserie	YES
Convection	YES
Auto Shut off & Ready Bell	Yes
Door Glass	Heat-resistant tempered glass
Power	1600 W
Temperature Control	100-250°C
Function	5
Capacity	24 L
Max. Cooking Time	60 Min
Accessories	Enamel back tray*1pc, wire rack*1pc, tray handle*1pc, inner lamp*1pc



KEY POINTS

- Stainless Steel Heating Elements
- 5 Different function With Convection mode
- Rotisserri for 360°
- Stainless Steel Handle
- 2 Years Warranty On Product

ZEPHIRE 30 L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Heating Element	Stainless Steel
Handle Type	Stainless Steel
Rotisserie	YES
Convection	YES
Auto Shut off & Ready Bell	YES
Door Glass	Heat-resistant tempered glass
Power	1600 W
Temperature Control	100-250°C
Function	5
Capacity	30 L
Max. Cooking Time	60 Min
Accessories	Enamel back tray*1pc, wire rack*1pc, tray handle*1pc, inner lamp*1pc



KEY POINTS

- Stainless Steel Heating Elements
- Heat-resistant tempered glass Door
- Stainless Steel Handle
- Operation Indicator
- 2 Years Warranty On Product

ZEPHIRE 38 L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Heating Element	Stainless Steel
Handle Type	Stainless Steel
Rotisserie	YES
Convection	YES
Auto Shut off & Ready Bell	YES
Door Glass	Heat-resistant tempered glass
Power	1600 W
Temperature Control	100-250°C
Function	5
Capacity	38 L
Max. Cooking Time	60 Min
Accessories	Enameled steel Bake Pan Chromed Steel Bake Rack Chromed Steel Pan Handle Lamp



KEY POINTS

- Stainless Steel Heating Elements
- Heat-resistant tempered glass Door
- Stainless Steel Handle
- Operation Indicator
- 2 Years Warranty On Product

ZEPHIRE 48 L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Heating Element	Stainless Steel
Handle Type	Stainless Steel
Rotisserie	YES
Convection	YES
Auto Shut off & Ready Bell	Yes
Door Glass	Heat-resistant tempered glass
Power	2000 W
Temperature Control	100-250°C
Function	5
Capacity	48 L
Max. Cooking Time	60 Min
Accessories	Enameled steel Bake Pan Chromed Steel Bake Rack Chromed Steel Pan Handle Lamp



RICE COOKER



WARM FUNCTION
Keeps the food warm after cooking



NON-STICK DOUBLE POT
Prevents food from sticking on the surface



2-YEAR WARRANTY
For trusted quality assurance



KEY POINTS

- Stainless Steel Lid
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product

FLORA 2.2L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	900W
Inner Pot	Aluminum
Lid Material	Stainless Steel
Lid Type	Open Lid
Power Cord	Detachable
Trivet	Yes

FLORA 2.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	1000W
Inner Pot	Aluminum
Lid Material	Stainless Steel
Lid Type	Open Lid
Power Cord	Detachable
Trivet	Yes



KEY POINTS

- Stainless Steel Lid
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product

FLORA EXCEL 2.2L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	900W
Inner Pot	Double Aluminum Pot
Lid Material	Stainless Steel
Lid Type	Open Lid
Power Cord	Detachable
Trivet	Yes



KEY POINTS

- Stainless Steel Lid
- Double pot
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product

FLORA EXCEL 2.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	1000W
Inner Pot	Double Aluminum Pot
Lid Material	Stainless Steel
Lid Type	Open Lid
Power Cord	Detachable
Trivet	Yes



KEY POINTS

- Stainless Steel Lid
- Double pot
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product

PEARL 1.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	700W
Inner Pot	Double Non Stick Bowl
Lid Material	Glass
Lid Type	Open Lid
Power Cord	Detachable
Trivet	Yes



KEY POINTS

- Stainless Steel Lid
- Double pot
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product

NOBLE 1L

TECHNICAL SPECIFICATIONS

CATEGORY	Small Appliances
Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	400W
Inner Pot	Non Stick Pot
Lid Material	Glass
Lid Type	Open Lid
Power Cord	Detachable
Trivet	Yes



KEY POINTS

- Glass Lid
- Non Stick Pot
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product

FLORA 4.2L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	1600W
Inner Pot	Aluminum
Lid Material	Stainless Steel
Lid Type	Open Lid
Power Cord	Detachable
Trivet	NO



KEY POINTS

- Stainless Steel Lid
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product



KEY POINTS

- Stainless Steel Lid
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product

OPAL 1.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	700W
Inner Pot	Non Stick
Lid Material	Food Grade Plastic
Lid Type	Close Lid
Power Cord	Detachable
Trivet	NO



KEY POINTS

- Stainless Steel Lid
- Thermostat Control
- Detachable power chord
- 2 Years Warranty On Product

OPAL 2.8L

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 220V - 240V
Frequency (Hz)	50 Hz
Function	Automatic Cook and Keep Warm
Rated Power (W)	1000W
Inner Pot	Non Stick
Lid Material	Food Grade Plastic
Lid Type	Close Lid
Power Cord	Detachable
Trivet	NO

BLENDER

DETACHABLE BODY
The body can be detached
& other accessories can be fit in



ERGONOMIC HANDLE DESIGN
The design of the Hand Blender
is easy and comfortable to use



2-SPEED OPERATION
2 speeds to choose from
Low and High



POWERFUL BLADES
Powerful stainless steel- SS 304
grade blades for long life



1-YEAR WARRANTY
For trusted quality assurance



KEY POINTS

- SS 304 Blade
- Detachable Body
- Food Grade Stainless Steel Body
- 1 Year Warranty On Product

CHERRY

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 230V
Frequency (Hz)	50Hz
Rated Motor Power	300 W
Body Type	Detachable
Mixing stick	High Quality Food Grade Plastic
Accessories	NO
Rated working time	≤ 1min



KEY POINTS

- SS 304 Blade
- Detachable Body
- Food Grade Stainless Steel Body
- 1 Year Warranty On Product

TORQUE

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 230V
Frequency (Hz)	50Hz
Rated Motor Power	500 W
Body Type	Detachable
Mixing stick	Stainless Still
Accessories	NO
Rated working time	≤ 1min



TOASTER



AUTO POP-UP
Bread automatically
pops out from toaster



DRAWING CRUMB TRAY
Bread remains gets
collected in the tray



**ELECTRONIC
BROWNING CONTROL**
7 levels of browning



**1-YEAR WARRANTY
ON PRODUCT**
For trusted quality
assurance

CRESCENT - 2 SLICE

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Power Consumption	700 W
Function	3
Function Description	Defrost, Cancel, Reheat
Electronic variable browning control	7
Auto pop-up	YES
Drawing crumb tray	YES



KEY POINTS

- Pop Up Toaster
with Defrost Function
- 7 browning Control
- Drawing crumb tray
- 1 Year Warranty On Product



SANDWICH MAKER

**NON-STICK
CHANGEABLE PLATES**
Non-stick plates convertible
into sandwich or grill option



1 YEAR WARRANTY
For trusted quality
assurance



RAPIDO SANDWICH

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 230V
Frequency (Hz)	50 Hz
Rated Power	750W
Capacity	2 Sandwich Capacity
Ready Indicator	Yes
Thermostat control	Yes
Plates Type	Non-stick Plate
Plate layout	Sandwich
Handle Lock	Yes



KEY POINTS

- Non Stick Inner plate
- Cool touch Handle
- Ready indicator
- Auto Cut off
- Over Voltage Protection
- 1 Year Warranty On Product

RAPIDO GRILL

TECHNICAL SPECIFICATIONS

Voltage (V)	AC 230V
Frequency (Hz)	50 Hz
Rated Power	750W
Capacity	2 Sandwich Capacity
Ready Indicator	Yes
Thermostat control	Yes
Plates Type	Non-stick Plate
Plate layout	Grill
Handle Lock	Yes



KEY POINTS

- Non Stick Inner plate
- Cool touch Handle
- Ready indicator
- Auto Cut off
- Over Voltage Protection
- 1 Year Warranty On Product



EGG BOILER



KEY POINTS

- 7 EGG Capacity
- Concealed Heating Elements.
- Steam, Fried Function
- 1 Year Warranty On Product

MULTI FUNCTIONAL EGG BOILER

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	350 W
Power Indicator	YES
Heating Element	CONCEALED
Multi-Function	Steam, Fried



KEY POINTS

- 7 EGG Capacity
- Concealed Heating Elements.
- Stainless Steel Body
- 1 Year Warranty On Product

STAINLESS STEEL EGG BOILER

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	350 W
Capacity	1 - 7 EGG
Power Indicator	YES
Body Material	Stainless Steel
Heating Plate	Stainless Steel
Heating Element	CONCEALED



AUTOMATIC SHUT OFF
Power cuts off in the absence of utensils



1-YEAR WARRANTY ON PRODUCT
For trusted quality assurance

BREAKFAST MAKER



KEY POINTS

- Thermostatically Control
- Safety Thermal cut-out
- Energy Saving
- Environmental Friendly
- 1 Year Warranty On Product

AROMA

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1200W
Plates Type	Non-stick Plate
Heating Element	Concealed
Pot	Stainless Steel
Indicator	Yes

CHOPPER



HANDY CHOPPER

TECHNICAL SPECIFICATIONS

Capacity	450ml
Blade	3 Blade for efficient chopping
Body	Food Grade BPA free Plastic
Base	Non- Slip Base



KEY POINTS

- Food Grade Plastic Body
- BPA free
- Anti Slip Base.

ELECTRIC CHOPPER

TECHNICAL SPECIFICATIONS

Watt	400W
Capacity	900ml
Blade	Stainless Steel Blade
Body	Food Grade BPA free Plastic
Base	Non- Slip Base



KEY POINTS

- Food Grade Plastic Body
- Stainless Steel Blade
- Anti Slip Base.



ELECTRIC TIFFIN BOX

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	250W
Power Indicator	YES
Heating Element	CONCEALED
Body material	Food Grade Plastic
Capacity (Container 1)	1L
Capacity (Container 2)	0.35L
Capacity (Container 3)	0.65L



KEY POINTS

- 3 Layer SS Container
- ON OFF Switch with indicator
- Concealed Heating element
- 1 Year Warranty On Product

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	250W
Power Indicator	YES
Heating Element	CONCEALED
Body material	Food Grade Plastic



KEY POINTS

- Vacuum release nozzle
- With Egg boiler
- Concealed Heating element
- 1 Year Warranty On Product

THERMAL POT



KEY POINTS

- Auto Boiling
- Keep warm
- Reboil function
- 360° turning base
- Easy clean
- Detachable lid
- Water level Indicator
- 1 Year Warranty On Product

SIGMA 4.8L

TECHNICAL SPECIFICATIONS

Capacity	4.8L
Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	750 W
Pot Materia	Stainless Steel



KEY POINTS

- Auto Boiling
- Keep warm
- Reboil function
- 360° turning base
- Easy clean
- Detachable lid
- Water level Indicator
- 1 Year Warranty On Product

SIGMA 6.8L

TECHNICAL SPECIFICATIONS

Capacity	6.8L
Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	750 W
Pot Materia	Stainless Steel



KEY POINTS

- Auto Boiling
- Keep warm
- Reboil function
- 360° turning base
- Easy clean
- Detachable lid
- Water level Indicator
- 1 Year Warranty On Product

SIGMA 7.8L

TECHNICAL SPECIFICATIONS

Capacity	7.8L
Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	750 W
Pot Materia	Stainless Steel



ELECTRIC DRY IRON

GLORY 750

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	750 W
Plate	Non Stick Coating Solo Plate
Power Indicator	Yes
Multiple Temperature control	Yes
Auto Cut	Yes



KEY POINTS

- Non Stick Coating Solo Plate
- Multiple Temperature control
- Auto Cut Off
- 2 years Warranty on Products

ELECTRA 1000

TECHNICAL SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1000 W
Plate	Non Stick Coating Solo Plate
Power Indicator	Yes
Multiple Temperature control	Yes
Auto Cut	Yes



KEY POINTS

- Non Stick Coating Solo Plate
- Multiple Temperature control
- Auto Cut Off
- 2 years Warranty on Products

*“ INNOVATING COMFORT AND
CONVENIENCE SINCE 2003 ”*

KUTCHINA[®]
THE KITCHEN EXPERTS

Toll Free: 1800 4197 333 | Follow us:   kutchinaconnect | www.kutchina.com

Kitchen Appliances | Modular Kitchen | Modular Wadrobes | Small Appliances